EW NUTRITION · BROILERS · 42-DAY GROW-OUT

Healthy gut through the whole grow-out

A two-step program: Ventar D in feed as a constant foundation through the whole grow-out, and Activo Liquid in water exactly when a challenge comes: placement, feed change, vaccination.

VENTAR D	ACTIVO LIQUID	GROW-OUT	EXAMPLE FLOCK
300 g / t	500 ml / m³	42 days	10,000 broilers

TWO PRODUCTS
two routes



Ventar D
EW NUTRITION · IN FEED

Microencapsulated phytomolecules released gradually along the whole digestive tract. Antimicrobial, antioxidant and anti-inflammatory action as a constant foundation for gut health. Withstands pelleting at 90 °C.

DOSE	300 g / t feed
DURATION	whole grow-out, all feeds
PACK	20 kg bag



Activo Liquid
EW NUTRITION · GUT HEALTH


Essential oils and organic acids in liquid form. Works fast, in the upper part of the tract, so it is the answer to a challenge: placement, feed change, vaccination. No withdrawal period.

DOSE	500 ml / 1,000 L water
DURATION	2–5 days per challenge
PACK	1 L and 5 L canister

In feed and in water. Ventar D is released slowly and protects the whole tract every day of the grow-out. Activo Liquid acts within a few hours, so it is given in blocks, when the gut is under pressure.

Same mechanism, different timing. Both act as antimicrobial, antioxidant and anti-inflammatory agents. They differ in where and when that action becomes available, which is why they are combined.

PROGRAM
through grow-out



Vaccination via water · day 18 · water without additives

Number in the bar = days of Activo Liquid use. 14 days in total per grow-out.

ACTIVO LIQUID
day by day

DAYS	REASON	DAYS	FOR 10,000 BROILERS
1–3	Placement Low feed intake, uneven flock · 2–4 days	3	0.6 L
10–12	Starter → grower Feed change · 2–3 days	3	1.7 L
15–17	Before vaccination Vaccination · 3 days before	3	2.4 L
19–20	After vaccination Vaccination · 2 days after	2	1.9 L
24–26	Grower → finisher Feed change · 2–3 days	3	3.7 L
Total · 14 days of use			**10.3 L**

Periods based on EW's application guide for broilers, dose 500 ml / 1,000 L. Day 18: vaccination via water, water without Activo Liquid. Feed change days are an example; blocks are moved to the actual dates on the farm.

AS needed

HEAT STRESS	Activo Liquid 3–5 days, 500 ml / 1,000 L.
WET LITTER	Activo Liquid 3–5 days.
LOW INTAKE, UNEVEN FLOCK	Activo Liquid 2–4 days.

QUANTITIES
for 10,000 broilers

PRODUCT	DAYS	FEED	PER GROW-OUT
Ventar D · Starter	1–10	3.0 t	0.9 kg
Ventar D · Grower	11–24	12.7 t	3.8 kg
Ventar D · Finisher	25–42	29.5 t	8.8 kg
Ventar D · whole grow-out	**1–42**	**45.2 t**	**13.6 kg**
Activo Liquid · 14 days			**10.3 L**

PRODUCT	PER GROW-OUT	PER YEAR (6 FLOCKS)	PACKS
Ventar D	**13.6 kg**	81 kg	5 × 20 kg bag
Activo Liquid	**10.3 L**	62 L	13 × 5 L canister

Top doses: Ventar D 300 g/t, Activo Liquid 500 ml / 1,000 L. Feed and water are estimates for Ross 308 at about 20 °C (about 4.5 kg of feed per bird over the grow-out). Packs are per year. As-needed blocks are not included. For a different flock size, scale proportionally: 20,000 broilers = twice as much.

APPLICATION
in practice

Ventar D in feed

- Added at the feed mill, directly into the mixer or into the premix, 300 g per tonne of feed, in starter, grower and finisher.
- If the farm buys complete feed, the feed mill mixes in Ventar D. Simply order the feed with Ventar D.
- Compatible with all water products, so it never needs to be stopped.

Activo Liquid in water

- Doser at 1 %: 10 L of stock solution holds 500 ml of product.
- Make the solution fresh every day, for as much water as the flock drinks.
- Do not mix with other water additives. On vaccination day the water is without Activo Liquid.

DISTRIBUTION
and contact

need 4 feed d.o.o.
Šubićeva 20, 10 000 Zagreb,
Croatia
VAT 79018988192
need4feed.hr

Lovro Rubčić — Sales
+385 91 619 2863
lovro@need4feed.hr

Teo Vilendečić — Sales
+385 99 66 77 242
teo4feed@gmail.com

Information is indicative and does not constitute a warranty. Use according to the manufacturer's instructions.