EW NUTRITION · LAYING HENS · WEEKS 18–80

Healthy gut, strong shell

A program for laying hens across the whole laying period: Ventar D in feed as a constant foundation, Activo Liquid in water when the flock needs support, and Stimuvital IP for the shell in the second half of lay.

VENTAR D	ACTIVO LIQUID	STIMUVITAL IP	QUANTITIES PER
300 g / t	500 ml / m³	1.25 L / m³	1,000 hens

THREE PRODUCTS
three jobs



Ventar D

EW NUTRITION · IN FEED

Microencapsulated phytomolecules released gradually along the whole digestive tract. Antimicrobial, antioxidant and anti-inflammatory action as a constant foundation for gut health.

DOSE	300 g / t feed
WHEN	continuously, in all phases
PACK	20 kg bag



Activo Liquid

EW NUTRITION · IN WATER

Essential oils and organic acids in liquid form. Works fast, in the upper part of the tract, so it is the answer to a challenge: feed change, vaccination, heat stress, drop in lay. No withdrawal period.

DOSE	500 ml / 1,000 L water
WHEN	4–5 days every 2 weeks, plus at challenges
PACK	1 L and 5 L canister



Stimuvital IP

EW NUTRITION · IN WATER

Calcium with vitamins A, D_3, E and C, for the period when calcium uptake from feed declines while the egg keeps getting bigger. Supports shell strength and skeletal health.


DOSE	1.25 L / 1,000 L water
WHEN	from week 40, 3 days every 1–2 weeks
PACK	1 L and 5 L canister

What to monitor. Daily laying rate against the breed standard, weekly share of cracked and thin-shelled eggs, water intake from the water meter. A sudden drop in water intake or wet droppings is a signal for an extra Activo Liquid block outside the schedule. Shell changes show after a few cycles, not straight away.

In feed and in water. Ventar D is released slowly and protects the whole tract every day. Activo Liquid acts within a few hours, so it is given in blocks, when the flock needs support.

One at a time in water. Activo Liquid is not given at the same time as other water products, so Stimuvital IP gets its own days. The line is flushed in between.

PROGRAM
across lay



Activo Liquid and Stimuvital IP go into water on separate days, never together. Ventar D (in feed) goes with both.

UP TO
week 40


Activo Liquid on days 1–5 of every 14, plus extra blocks at challenges

SITUATION ON THE FARM	EXTRA ACTIVO LIQUID BLOCK	DOSE
Transfer to the laying house, onset of lay	3–5 days from transfer	500 ml / 1,000 L
Feed change	2–3 days around the change	500 ml / 1,000 L
Injection vaccination	3 days before and 2 days after	500 ml / 1,000 L
Heat stress	3–5 days	500 ml / 1,000 L
Drop in lay, lower feed intake	3–5 days	500 ml / 1,000 L

Situations based on EW's recommendations for Activo Liquid. If a challenge falls within a regular block, the block is simply extended. Vaccination via water: no product goes into the water on the day of vaccination.

WEEKS
40–60

14-day cycle: Activo Liquid 5 days, Stimuvital IP 3 days



Stimuvital IP 3 days every two weeks, as EW recommends after week 40.
Unmarked days: plain water. Day 15 = day 1 of the next cycle.

AFTER
week 60

14-day cycle: Activo Liquid 4 days, Stimuvital IP twice for 3 days



Stimuvital IP 3 days every week, as EW recommends after week 60.
Unmarked days: plain water. Day 15 = day 1 of the next cycle.

QUANTITIES
per 1,000 hens

PRODUCT	WK 18–40	WK 40–60	WK 60–80	WHOLE LAY	MONTHLY	PACKS
Ventar D	5.3 kg	4.8 kg	4.8 kg	**15.0 kg**	1.0 kg	1 × 20 kg bag
Activo Liquid	6.9 L	6.2 L	5.0 L	**18.1 L**	1.3 L	4 × 5 L canister
Stimuvital IP	—	9.4 L	18.8 L	**28.1 L**	2.0 L	6 × 5 L canister

Top doses: Ventar D 300 g/t, Activo Liquid 500 ml and Stimuvital IP 1.25 L per 1,000 L of water. Calculated with an estimated 0.25 L of water and 115 g of feed per hen per day, over 62 weeks of lay; monthly is an average. Extra Activo Liquid blocks at challenges are not included. For a different flock size, scale proportionally: 10,000 hens = ten times as much.

APPLICATION
in practice

Ventar D in feed

- Added at the feed mill, directly into the mixer or into the premix, 300 g per tonne of feed. The granules withstand pelleting at 90 °C.
- If the farm buys complete feed, the feed mill mixes in Ventar D. Simply order the feed with Ventar D.
- Compatible with all water products, so it never needs to be stopped.

Activo Liquid and Stimuvital IP in water

- Doser at 1 %: 10 L of stock solution holds the dose for 1,000 L of water, i.e. 500 ml of Activo Liquid or 1.25 L of Stimuvital IP.
- Shake Stimuvital IP well before opening. Make the solution fresh every day.
- When switching from one product to the other, rinse the tank and the line with clean water.

DISTRIBUTION
and contact

need 4 feed d.o.o.
Šubićeva 20, 10 000 Zagreb,
Croatia
VAT 79018988192
need4feed.hr

Lovro Rubčić — Sales
+385 91 619 2863
lovro@need4feed.hr

Teo Vilendečić — Sales
+385 99 66 77 242
teo4feed@gmail.com

Information is indicative and does not constitute a warranty. Use according to the manufacturer's instructions.